


Catalog for Rock Loader



CHANGSHA MINING EQUIPMENT CO., LTD.


No.266 Honglian Road, Yuhua District, Changsha City, China

长度: 2450mm
 运输高度: 1500mm
 工作高度: 2000mm
 宽度 (踏板落下): 1590mm
 宽度 (踏板支开): 1250mm




Tire Pneumatic Rock Loader Machine

Model	Z-13	Z-30
Bucket capacity	0.13m ³	0.3m ³
Working capacity	0.6m ³ /minute	1m ³ /minute
Working speed	1.14m/s	1.14m/s
Power	pneumatic	pneumatic
Working air pressure	4.41*10 ⁵ -6.68*10 ⁵ PA	4.41*10 ⁵ -6.68*10 ⁵ PA
Max Air Consumption	8-12m ³ /min	11-15m ³ /min
Moving Motor power kW	9	15
Lifting Motor power kW	9	15
Discharging Height mm	≥1250	≥1350
Discharging distance mm	350	400
Max.lifting height mm	2000	2300
Length with bucket down	2450	2650
Width with pedal down	1590	1690
Width without pedal	1250	1350
Height (bucket down)	1500	1650
weight	3030	3850




Crawler Electric Rock Loader Machine

Model	Z-17W	Z-20W	Z-30W
Tunnel Size(Width*Height)mm	1700*2000	2000*2200	2200*2500
Gauge(mm)	600	600	600
Loading Capacity (m3/h)	20-30	30-40	50-60
Bucket Volume(m3)	0.17	0.20	0.30
Loading Width(mm)	1700	2000	2400
Loading Height(mm)	1920	2180	2240
Unloading Height(mm)	1320	1360	1360
Climbing ability(°)	20	20	20
Length(mm)	2120	2480	2620
Width(mm)	1130	1380	1380
Height(mm)	1200	1460	1545
Motor for walking(kW)	10.5	10.5	13
Motor for bucket lifting(kW)	10.5	13	15
Machine Weight(kg)	3200	3750	4500



Crawler Electric Rock Loader Machine with Hydraulic

Model	Z-17WYK	Z-20WYK	Z-30WYK
Tunnel Size(Width*Height)mm	1700*2000	2000*2200	2200*2500
Gauge(mm)	600	600	600
Loading Capacity (m3/h)	30-40	40-50	60-70
Bucket Volume(m3)	0.17	0.20	0.30
Loading Width(mm)	1700	2000	2400
Loading Height(mm)	1920	2180	2240
Unloading Height(mm)	1320	1360	1360
Climbing ability(°)	20	20	20
Length(mm)	2120	2480	2620
Width(mm)	1130	1380	1380
Height(mm)	1200	1460	1650
Motor for walking(kW)	10.5	10.5	13
Motor for bucket lifting(kW)	10.5	13	15
Hydraulic Motor(kW)	1.5	1.5	2.2
Machine Weight(kg)	3300	3800	4500



Crawler Electric Rock Loader Machine with hydraulic and remote control

Model	ZLKY20	ZLKY26	ZLKY45
Tunnel Size(Width*Height)mm	2000*2200	2200*2500	2200*2500
Gauge(mm)	600	600	600
Loading Capacity (m3/h)	35-45	50--60	80--100
Bucket Volume(m3)	0.20	0.26	0.45
Loading Width(mm)	1700	1700	1700
Loading Height(mm)	1920	2240	2240
Unloading Height(mm)	1210	1360	1460
Climbing ability(°)	20	20	20
Length(mm)	2287	2620	2660
Width(mm)	1372	1380	1520
Height(mm)	1415	1650	1650
Motor for walking(N)	Hydraulic motor 2pcs 5000N	Hydraulic motor 2pcs 5000N	Hydraulic motor 2pcs 5000N
Motor for bucket lifting(kW)	13	13	15
Hydraulic Motor(kW)	7.5	7.5	11
Machine Weight(kg)	3700	3900	4800



Steel Wheel Electric Rock Loader Machine

Model	Z-17W	Z-20W	Z-30W
Tunnel Size(Width*Height)mm	1700*2000	2000*2200	2200*2500
Gauge(mm)	600	600	600
Loading Capacity (m3/h)	20-30	30-40	50-60
Bucket Volume(m3)	0.17	0.20	0.30
Loading Width(mm)	1700	2000	2400
Loading Height(mm)	1920	2180	2240
Unloading Height(mm)	1320	1360	1360
Length(mm)	2120	2480	2620
Width(mm)	1130	1380	1380
Height(mm)	1200	1460	1545
Motor for walking(kW)	10.5/13	10.5	13
Motor for bucket lifting(kW)	10.5/13	13	15
Machine Weight(kg)	3200	3750	4500



Steel Wheel Electric Rock Loader Machine with Hydraulic

Model	Z-17WYK	Z-20WYK	Z-30WYK
Tunnel Size(Width*Height)mm	1700*2000	2000*2200	2200*2500
Gauge(mm)	600	600	600
Loading Capacity (m3/h)	30-40	40-50	60-70
Bucket Volume(m3)	0.17	0.20	0.30
Loading Width(mm)	1700	2000	2400
Loading Height(mm)	1920	2180	2240
Unloading Height(mm)	1320	1360	1360
Length(mm)	2120	2480	2620
Width(mm)	1130	1380	1380
Height(mm)	1200	1460	1650
Motor for walking(kW)	10.5	10.5	13
Motor for bucket lifting(kW)	10.5	13	15
Hydraulic Motor(kW)	1.5	1.5	2.2
Machine Weight(kg)	3200	3500	4600



Steel Wheel Pneumatic Rock Loader Machine

Model	ZQ-26
Tunnel Size(Width*Height)mm	1700*2000
Gauge(mm)	600
Loading Capacity (m3/h)	60
Bucket Volume(m3)	0.26
Loading Width(mm)	2700
Loading Height(mm)	2240
Unloading Height(mm)	1250
Length(mm)	2375
Width(mm)	1380
Height(mm)	2240
Pneumatic motor power(for walking)(kW)	12
Pneumatic Power for Bucket drive(kW)	15
Working pressure(Mpa)	0.5-0.68
Drive unit	Pneumatic
Machine Weight(kg)	2700